This document is released for the purpose of information exchange review and planning only under the authority of Tracy Anne Clinton, September 2017, State of California, PE No. 48199.

City of Oxnard

Public Works Integrated Master Plan

RECYCLED WATER

PROJECT MEMORANDUM 4.5 ENVISION™ ASSESSMENT

REVISED FINAL DRAFT September 2017



PREFACE

The analysis and evaluations contained in these Project Memorandum (PM) are based on data and information available at the time of the original date of publication, December 2015. After development of the December 2015 Final Draft PMs, the City continued to move forward on two concurrent aspects: 1) advancing the facilities planning for the water, wastewater, recycled water, and stormwater facilities; and 2) developing Updated Cost of Service (COS) Studies (Carollo, 2017) for the wastewater/collection system and the water/distribution system. The updated 2017 COS studies contain the most recent near-term Capital Improvement Projects (CIP). The complete updated CIP based on the near-term and long-term projects is contained in the Brief History and Overview of the City of Oxnard Public Works Department's Integrated Planning Efforts: May 2014 – August 2017 section.

At the time of this Revised PWIMP, minor edits were also incorporated into the PMs. Minor edits included items such as table title changes and updating reports that were completed after the December 2015 original publication date.

City of Oxnard

Public Works Integrated Master Plan

RECYCLED WATER SYSTEM

PROJECT MEMORANDUM 4.5 ENVISION™ ASSESSMENT

TABLE OF CONTENTS

		<u>Pa</u>	<u>age</u>
1.0		ODUCTION	
	1.1	PMs Used for Reference	1
2.0	WHAT	Γ IS ENVISION™?	1
	2.1	Envision TM Origins	1
	2.2	Benefits of Envision™	2
		Envision TM Framework	
3.0	RETR	OACTIVE CERTIFICATION OF THE AWPF	6
4.0	INITIA	AL ENVISION™ ASSESSMENT FOR OXNARD	8
5.0	DEVE	LOPMENT OF EVALUATION CRITERIA	9
6.0		GRAMMATIC VS. PLAN SPECIFIC CREDITS	
7.0	TARG	GET GOALS / METRICS	14
8.0	ROAD	DMAP FOR MOVING ENVISION™ FORWARD	14
APPE	NDIX E NDIX (NDIX E	C PROGRAMMATIC VERSUS PLAN SPECIFIC CREDITS SUMMARY	
		LIST OF TABLES	
Table Table Table Table Table	2 3 4	Summary of Credit Framework for the Envision™ Rating System	6 8 9
		<u>LIST OF FIGURES</u>	
Figure	: 1	Example of Level of Achievement for Credit QL1.1	7

ENVISION™ ASSESSMENT

1.0 INTRODUCTION

The purpose of this project memorandum (PM) is to provide an overview of the Envision™ Rating system as it relates to planning and designing sustainable infrastructure as well as outlining a specific approach to using the framework within the Public Works Integrated Master Plan (PWIMP) planning and design processes. The Envision work began by assessing the potential for retroactive Envision certification of the Advanced Water Purification Facility (AWPF). During the PWIMP, the scope of the work was broadened to perform an initial Envision™ assessment on the entire PWIMP. This effort is summarized in this PM as well as discussion of how programmatic versus project specific credits might be applied.

1.1 PMs Used for Reference

The recommendations outlined in this PM are made in concert with recommendations and analyses from other related PMs:

PM 1.1 - Overall - Master Planning Process Overview.

2.0 WHAT IS ENVISION™?

2.1 Envision™ Origins

The Envision™ Rating system, developed through a joint collaboration between the Zofnass Program for Sustainable Infrastructure at the Harvard University Graduate School of Design and the Institute for Sustainable Infrastructure (ISI)¹, provides a holistic framework for evaluating and rating the community, environmental, and economic benefits of all types and sizes of infrastructure projects. The Envision™ Rating System evaluates, grades, and gives recognition to infrastructure projects that use transformational, collaborative approaches to assess the sustainability indicators over the course of the project's life cycle. Specifically, Envision™ helps teams to:

- Meet sustainability goals.
- Be publicly recognized for high levels of achievement in sustainability.

¹ The Institute for Sustainable Infrastructure (ISI) is a 501 (c) (3) not for profit organization, structured to develop and maintain a sustainability rating system for civil infrastructure in the United States. ISI was founded by the <u>American Council of Engineering Companies</u> (ACEC), the <u>American Public Works Association</u> (APWA), and the <u>American Society of Civil Engineers</u> (ASCE) and is governed by a nine member Board of Directors, appointed by the founding organizations.

- Help communities and project teams to collaborate and discuss, "Are we doing the right project?" and, "Are we doing the project right?"
- Make decisions about the investment of scarce resources.
- Include community priorities in civil infrastructure projects.

2.2 Benefits of Envision[™]

While there are many sector-specific sustainability rating systems already available and in use, the Envision™ system was developed to provide a comprehensive tool that could be applied to more broad based infrastructure work. Specifically, the Envision™ system:

- Offers a way of assessing the sustainability of infrastructure projects, not simply in individual improvements, but in terms of their overall contribution to the communities they serve.
- Requires more than just increasing resource conservation and factors of safety; the system recognizes change in the engineering design mindset by recognizing the team's attention and willingness to changing the design and operating environment.
- Seeks to educate and build awareness about the important consequences and benefits of sustainable design and construction.
- Focuses at the community level rather than the single element level (i.e., building, park, road); this is particularly advantageous over the element specific rating tools because infrastructure development is so closely tied to the resources and constraints of multiple departments and agencies within the community.

The timing for this rating system is particularly poignant as so many communities are now making sustainability goals for the future. Given the long life of many infrastructure projects (30 to 50 years or longer), infrastructure is being built now that will help to meet those future sustainability goals. Planning, designing, and constructing them using a holistic, sustainable framework now is imperative!

2.3 Envision[™] Framework

Envision[™] follows the model established by the USGBC's LEED rating system in that there are five major categories of credits with a total of 60 combined credits. To qualify for Envision[™] certification, projects must:

- Meet varying levels of points in the following categories (see Table 1 for further details):
 - Quality of Life.
 - Leadership.

Table 1 Summary of Credit Framework for the Envision™ Rating System Public Works Integrated Master Plan City of Oxnard

Major Category	Description	Subcategories	Credit	Max Points
			QL1.1 Improve community quality of life	25
		Purpose	QL1.2 Stimulate sustainable G&D	16
			QL1.3 Develop local skills	15
	Specifically addresses		QL2.1 Enhance public health & safety	16
	Specifically addresses projects' impact on		QL2.2 Minimize noise	11
Quality of Life	communities both the	Woll Poing	QL2.3 Minimize light pollution	11
Quality of Life	health and wellbeing of individuals that of the	Well Being	QL2.4 Improve community mobility/access	14
	larger social fabric as a whole		QL2.5 Encourage alt modes of transport	15
			QL2.6 Improve site accessibility, safety	15
		Community	QL3.1 Preserve historic/cultural resources	16
			QL3.2 Preserve views/local character	14
			QL 3.3 Enhance public space	13
			LD1.1 Provide effective leadership	17
	Comprised of the tasks	Collaboration	LD1.2 Establish sustainability management system	14
			LD1.3 Foster collaboration and teamwork	15
	that demonstrate		LD1.4 Provide stakeholder involvement	14
Leadership	effective leadership and commitment by all	Managaras	LD2.1 Pursue by-product synergy opportunities	15
	parties involved in a	Management	LD2.2 Improve infrastructure integration	16
	project		LD3.1 Plan for long-term monitoring / maintenance	10
		Planning	LD3.2 Address conflicting regulations / policies	8
			LD3.3 Extend useful life	12

Table 1 Summary of Credit Framework for the Envision™ Rating System Public Works Integrated Master Plan City of Oxnard

Major Category	Description	Subcategories	Credit	Max Points
			RA1.1 Reduce net embodied energy	18
			RA1.2 Support sustainable procurement	9
			RA1.3 Use recycled materials	14
		Materials	RA1.4 Use regional materials	10
			RA1.5 Divert waste from landfills	11
	Measures the use of		RA1.6 Reduce excavated materials taken off-site	6
Resource Allocation	renewable and non- renewable resources for		RA1.7 Provide for deconstruction / recycling	12
7 tiloGation	the project		RA2.1 Reduce energy consumption	18
		Energy	RA2.2 Use renewable energy	20
			RA2.3 Commission and monitor energy systems	11
			RA3.1 Protect fresh water availability	21
		Water	RA3.2 Reduce potable water consumption	21
			RA3.3 Monitor water systems	11
			NW1.1 Preserve prime habitat	18
			NW1.2 Protect wetlands and surface water	18
	Allows project teams to assess the effect of the		NW1.3 Preserve prime farmland	15
Natural World	project on the	Siting	NW1.4 Avoid adverse geology	5
Natural World	preservation and renewal of ecosystem	Citing	NW1.5 Preserve floodplain functions	14
	functions		NW1.6 Avoid unsuitable development on steep slopes	6
			NW1.7 Preserve greenfields	23

Table 1 Summary of Credit Framework for the Envision™ Rating System Public Works Integrated Master Plan City of Oxnard

Major Category	Description	Subcategories	Credit	Max Points
			NW2.1 Manage stormwater	21
		Land & Water	NW2.2 Reduce pesticide and fertilizer impacts	9
			NW2.3 Prevent surface and groundwater contamination	18
			NW3.1 Preserve species biodiversity	16
		Diodivoroity	NW3.2 Control invasive species	11
		Biodiversity	NW3.3 Restore disturbed soils	10
			NW3.4 Maintain wetland and surface water functions	19
	Minimizes emissions		CR1.1 Reduce greenhouse gas emissions	25
	that may contribute to increased short- and long-term risks, and ensure that infrastructure projects are resilient to short-term	Emission	CR1.2 Reduce air pollutant emissions	15
			CR1.3 Assess climate threat	15
Climate and Risk			CR1.4 Avoid traps and vulnerabilities	20
THOR			CR2.1 Prepare for long-term adaptability	20
	hazards or altered long-	Resilience	CR2.2 Prepare for short-term hazards	21
	term future conditions		CR2.3 Manage heat island effects	6

Note:

A detailed overview of the Envision Rating system with associate levels of achievement for each credit is included in Appendix A.

- Resource Allocation.
- Natural World.
- Climate and Risk.

Each of the 5 major categories has 2 to 3 subcategories, each with varying number of credits associated with them. Each credit has anywhere from 2 to 5 levels of achievement associated with it:

- Improved: Performance that is above conventional.
- Enhanced: Sustainable performance that is on the right track. Indications that superior performance is within reach.
- Superior: Sustainable performance that is noteworthy.
- Conserving: Performance that has achieved essentially zero impact.
- Restorative: Performance that restores natural or social systems.


The level of scoring across the 5 levels is non-linear giving substantially more points for the higher levels. Figure 1 illustrates an example of the levels of achievement of Credit QL1.1.

Envision[™] certification is again similar to LEED in that there are four levels of project recognition or award, as noted in Table 2. However, it should be noted that many projects never apply for the Envision[™] certification but rather choose to simply use the principles outlined within the framework.

Table 2 Initial Assessment of the PWIMP with the Envision™ Rating System Public Works Integrated Master Plan City of Oxnard					
Recognition Level	Recognition Level Minimum Applicable Points Minimum in Each Category				
Bronze	20%				
Silver	30%	No minimum category			
Gold	40%	percentage required (as is the case with LEED)			
Platinum	50%				

3.0 RETROACTIVE CERTIFICATION OF THE AWPF

The City built and certified the AWPF facility using the US Green Building Council's LEED Rating System. Consequently, the AWPF is considered a 'green building', achieving a LEED 'Gold' rating. With the introduction of the EnvisionTM Rating System for Sustainable Infrastructure, the City asked Carollo to assess what the EnvisionTM rating would be on the AWPF facility, retroactively. Because of the differences between the two rating systems



EXAMPLE OF LEVEL OF ACHIEVEMENT OF CREDIT QL 1.1

FIGURE 1

CITY OF OXNARD

PM NO. 4.5 - Envision™ Assessment

PUBLIC WORKS INTEGRATED MASTER PLAN





(i.e., one focused on occupied buildings and the other focused in infrastructure), there is not a one-to-one correlation.

Using the LEED certification documents, an assessment was done to determine potential applicable Envision™ credits for the AWPF. The retroactive analysis revealed that the AWPF could potentially achieve a Bronze to Silver Rating, lower than that of the LEED achieved Gold Rating. However, this is not at all surprising given the different nature and emphasis of the two rating systems. Table 3 presents the summary of the Envision™ assessment for the AWPF facility.

Table 3	Retroactive Envision [™] Assessment on the AWPF Facility ⁽¹⁾⁽²⁾
	Public Works Integrated Master Plan
	City of Oxnard

Major Category	Minimum Level of Achievement	Maximum Level of Achievement
Quality of Life	10%	25%
Leadership	14%	24%
Resource Allocation	31%	41%
Natural World	40%	42%
Climate and Risk	20%	21%
Total	25% (Bronze)	32% (Silver)

Notes:

4.0 INITIAL ENVISION™ ASSESSMENT FOR OXNARD

An initial assessment using Envision™ was done on the overall PWIMP to identify potential applicable credits. The assessment was done at a very big picture level and was informed as much by the overarching goals and values of the City related to sustainability as they were to the project itself. A minimum level of achievement was identified as well as a stretch level to show the range of possible implementation of sustainable principles. Table 4 shows a summary of that initial assessment. Appendix B contains a detailed summary of the initial Envision™ assessment completed for Oxnard's PWIMP.

⁽¹⁾ The difference between minimum and maximum lies in the interpretation of the LEED documentation available.

⁽²⁾ For those Envision credits not represented in LEED, estimates were made as to what might have been applicable at the time of planning and design of the AWPF.

Table 4 Initial Assessment of the PWIMP with the Envision™ Rating System Public Works Integrated Master Plan City of Oxnard						
Minimum Level of Stretch Level of Achievement Achievement						
Quality of Life	12%	26%				
Leadership	26%	42%				
Resource Allocation	26%	51%				
Natural World	28%	43%				
Climate and Risk	26%	56%				
Total	23% (Bronze)	43% (Gold)				

5.0 DEVELOPMENT OF EVALUATION CRITERIA

While the initial EnvisionTM assessment was useful in understanding what level of award might be possible, the application of EnvisionTM to the PWIMP was a bit too broad to be useful. However, taking the initial assessment and considering those along with the overarching goals and objectives for the PWIMP, as summarized in PM 1.1, *Overall - Master Planning Process Overview*, helped to inform the development of evaluation criteria to be used in evaluating alternatives.

Through the process of developing evaluation criteria, two types of criteria emerged. The first type of criteria was termed an 'overarching principle', which meant that every alternative developed must meet these or they were automatically considered a non-viable alternative. The second type of criteria was a 'measurable criteria' which meant that some form of metric could be assigned to determine the relative performance of alternatives with one another related to this metric.

Table 5 summarizes the overarching principles and measurable criteria associated with each of the 5 major goals of the PWIMP.

Table 5 Evaluation Criteria Established for PWIMP Public Works Integrated Master Plan City of Oxnard

Goal	Objective	Type of Criteria	Metric	Unit of Measure	Associated Envision™ Credit
#1	Provide Compliant, Reliable, Resili	ent and Fle	exible Systems		
	Improve system reliability consistent with industry standard	OP			
	Implement redundancy/backup for routine maintenance and repairs and to address threats to security	OP			
	Provide flexibility to respond to changes in regulatory requirements, reuse water demand or technological advances	MC	Project cost differential	Incremental cost to change from current conditions	CR2.2 Avoid traps and vulnerabilities CR2.3 Prepare for long-term hazards
	Ability to implement in a timely manner for a given need	MC	Implementation Time	Years	
#2	Investigate Grey and Green Infrasti	ructure wit	h an Emphasis on Ener	gy Efficiency	
	Investigate grey and green infrastructure	OP			NW2.1 Manage Stormwater (through LID)
	Maximize energy efficiency / sustainable energy use	MC	Net non-renewable Energy Use (Energy use – Energy production – Renewable energy use/ purchase)	kWh / year	RA2.1 Reduce energy consumption RA2.2 Use renewable energy

Table 5	Evaluation Criteria Established for PWIMP
	Public Works Integrated Master Plan
	City of Oxnard

		ı			
Goal	Objective	Type of Criteria	Metric	Unit of Measure	Associated Envision [™] Credit
#3	Manage Assets Effectively (Econor	nic Sustair	nability)		
	Maximize cost / benefit ratio	MC	Capital Costs	Total Project Cost (\$)	
			O&M Costs	Total O&M Cost (\$ / year)	LD3.3 Extend Useful Life
			Life-cycle Costs	Annual Costs (\$ / year)	
			Benefit : Cost Ratio	\$ Benefits / \$ Costs	
#4	Mitigate and Adapt to Potential Imp	acts of Cli	mate Change		
	Minimize impacts to system due to climate change related events	OP			CR2.1 Assess climate threat CR2.2 Avoid traps and vulnerabilities CR2.3 Prepare for long-term adaptability
	Minimize contribution to climate change factors through reduction/minimization of GHG emissions	MC	Greenhouse gas emissions	Metric tons of CO2 equivalent emissions per year	RA1.1 Reduce net embodied energy CR1.1 Reduce greenhouse gas emissions
#5	Protect / Enhance Environmental/R	Resource S	ustainability		
	Maintain regulatory/permit compliance	OP			QL2.1 Protect public health

Table 5	Evaluation Criteria Established for PWIMP
	Public Works Integrated Master Plan
	City of Oxnard

Goal	Objective	Type of Criteria	Metric	Unit of Measure	Associated Envision [™] Credit
	Maximize sustainable water use	МС	Potable water offset	MG per year	RA3.1 Protect fresh water availability RA3.2 Reduce potable water consumption
		MC	Groundwater Replenishment	MG per year	RA3.1 Protect fresh water availability
	Maximize beneficial reuse of solids	MC	Solids reused	Tons per year	RA1.5 Divert waste from landfills

Notes:
OP = Overarching Principle
MC = Measured Criteria

6.0 PROGRAMMATIC VS. PLAN SPECIFIC CREDITS

Reviewing again the initial Envision[™] assessment, it became evident that many of the credits will apply to the PWIMP as a whole, while some are much more plan and/or project specific. Therefore, it was advantageous to revisit the initial assessment to make a distinction between what are more 'programmatic' level credits that could be pursued on behalf of the entire plan and those are more project or plan specific.

Some examples of programmatic credits that would apply to the PWIMP and any projects that are developed out of the Plan would be:

Quality of Life

QL. 1.1 Improve community quality of life:

 Sustainable water supply and improved quality boosts overall quality of life throughout City.

QL 1.2 Stimulate sustainable growth and development:

 Securing a sustainable water supply allows modest growth of the community to continue while preserving sufficient resources for all.

Leadership

LD 1.1 Provide effective leadership and commitment:

- Create and uphold specific sustainability policies like Energy and Climate Action Plan.
- Pursuit and funding of GREAT Program.

LD 1.3 Foster collaboration and team:

 Hold Project Visioning and Eco-Alternatives Charrettes involving project team and stakeholders.

Project specific examples that would apply to the Water System Master Plan, for example, include:

Resource Management

RA 2.1 Reduce energy consumption:

 Consider energy efficient pumps/strategies for all new conveyance facilities/ASR wells.

RA 3.1 Protect fresh water availability:

 Use recycled water in ASR / IPR application to boost city's water supply and reduce reliance on imports.

CR 1.1 Reduce Greenhouse Gas Emissions:

Conduct GHG emissions analysis of project alternatives, both grey and green.

CR 2.3 Prepare for long-term threats:

 Addition of ASR / IPR provides a more sustainable water supply even in drought conditions.

Appendix C includes the detailed summary of the programmatic credits versus plan specific credits.

7.0 TARGET GOALS / METRICS

Using the applicable credits that are being proposed, it would be advantageous for the City to develop target goals for several of the metrics that are defined by each of the credits. One goal that has been defined to date that would impact each plan is a 10% reduction in energy consumption; this was set as part of the City's Energy Action Plan. This goal would apply directly to Credit RA 2.1, Reduce Energy Consumption.

Further definition of target goals and metrics are needed and it is recommended that this take place at the beginning of preliminary design for the project specific tasks. However, a starting point is provided in Appendix D for this PWIMP.

8.0 ROADMAP FOR MOVING ENVISION™ FORWARD

The next steps for moving EnvisionTM forward into the next project phases include:

- 1. At the beginning of preliminary design of a PWIMP project, conduct an Envision[™] workshop focused on defining the overall vision for the project, setting goals/credits for that particular project (easily obtainable as well as 'stretch' goals/credits) using the Envision[™] Rating System as the framework of the meeting.
- 2. Based on outcomes of the EnvisionTM workshop, EnvisionTM credits and levels of achievement to pursue, as agreed upon by the project team, will be summarized. In addition, potential strategies for implementation will be identified and summarized as well as documentation requirements needed to pursue project certification.
- 3. A Recommended EnvisionTM Assessment memo should be developed and used as project guidance. As part of the Recommended EnvisionTM Assessment / Project Guidance memo, the team will identify the stages at which credits should be incorporated/pursued as well as further investigation or exploratory efforts needed to determine the applicability of credits, as needed.

APPENDIX A – DETAILED OVERVIEW OF ENVISION™ **RATING SYSTEM**



	ENV	ISION CREDIT			LEVELS OF ACHIEVEMENT					P	oints P	ossible		
Area	Number	Name	Benchmark	Improved	Enhanced	Superior	Conserving	Restorative	Improved	Enhanced	Superior	Conserving	Restorative	Maximum Points Available
	QL1.1	Improve community quality	Team has reviewed community plans looking for fatal flaws; complies with local regs on stakeholder involvement	Internal Focus - Some, but not systematic outreach to stakeholders/decision makers	Community Linkages - Key stakeholders involved; potential negative adverse impacts reduced or eliminated	Broad community alignment all relevant community plans are reviewed through SH input	contribution to quality of life	Community renaissance - substantial revitalization of host and nearby communities	2	5	10	20	25	25
	QL1.2	Stimulate sustainable growth	Project designed as an entity unto itself, simply meeting planning/reg requirements	Project only focus	significant and desirable development	improving local productivity	Business and people attractiveness	Development rebirth	1	2	5	13	16	16
	QL1.3	Develop local skills and capabilities Enhance public health and	Hiring/training of local workers/firms is strictly a cost decision; training done as needed Project health and safety meet the	Cost efficient Assessment of new	Hire locally	Specific skills outreach	Local capacity development	Long-term competitiveness	1	2	5	12	15	15
of Life	QL2.1 QL2.2		minimum requirements No baseline studies/predicitions of noise/vibration have been conducted	requirements Studies, predictions			Excellence in all categories Achieving acceptable levels	Creating quieter communities	1			16 8	11	16
Quality of Life	QL2.3	Minimum light pollution	Compliance with local laws/regs regarding light pollution	Cost savings focus	Non-lighting alternatives	Cohesive zoning	Preserving the night sky	Restoring the night sky	1	2	4	8	11	11
	QL2.4	and access	Compliance with local laws/regs regarding construction transport Simple access to transit, pathways o	Limited coordination	Satisfactory access Non-motorized or transit	Exceptional access and flow. Non-motorized and transit	More livable communities Public transportation	Reviving transportation	1	4	7	14		14
	QL2.5	of transportation	bikeways	Transit access	friendly	friendly	enhancements	options	1	3	6	12	15	15
	QL2.6	safety and wayfinding	Only use conventional design stds for signage/wayfinding Action does not result in either		Onsite wayfinding	Additional safety and security	Integration with surroundings	Restoring safe neighborhoods		3	6	12	15	15
	QL3.1	Preserve historic and cultural resources	preservation of or net benefit to historic/cultural resources Limited consideration of local	Moderate efforts	Alignment with community	Proactive efforts	Preservation and conservation Community connections and	Conservation and restoration	1		7	13	16	16
	QL3.2		landscape/urban charater	Understanding and balance	•	enhancement	collaboration	and character	1	3	6	11	14	14



		ENV	ISION CREDIT			LEVELS OF ACHIEVEMENT					Po	oints P	ossible	
Ar	ea N	Number	Name	Benchmark	Improved	Enhanced	Superior	Conserving	Restorative	Improved	Enhanced	Superior	Conserving	Restorative Maximum Points Available
	C	QL3.3	Enhance public space	No efforts to identify, preserve or enhance public space	No adverse effects	No impact to resources	Improvement and enhancement	Overall net benefit	Substantial restoration	1	3	6	11	
										13	27	62	150	151 181
	<u>L</u>	_D1.1	Provide effective leadership and comittment	No specific sustainability policies	Limited commitment	Better clarity and commitment	Walking the talk	Sustainability is a core value		2	4	9	17	17
	<u> </u>	_D1.2	Establish a sustainability management system	No specific mechanisms /business processes put in place Teamwork not a dominant	Sparse mechanisms	A basic plan	Pln-do-check-act	Full implementation		1	4	7	14	14
	<u>L</u>	_D1.3	Foster collaboration and teamwork	component in project delivery processes Public input limited to what is	Random acts of sustainability	Taking a systems view	Sustainable design as a team sport	Whole systems design and delivery		1	4	8	15	15
ı	L	_D1.4	Provide for stakeholder involvement	required by regulation/statute or local polcies	Information transfer	Active engagement and dialog	Open to a wider community			1	5	9	14	14
		D2.1	Pursue by-product synergy oportunities	None considered	Casual search and diversion	Affirmative program	Opportunity foresight and pursuit	Opportunity pursuit and capture	Additional synergy opportunity captures	1	3	6	12	15 15
		_D2.2	Improve infrastructure integration	All considerations of linkages are conventional		Internal systems focus	Infrastructure building and synergies	Full infrastructure integration	High performance through restorative actions	1	3	7	13	16 16
	<u> </u>	_D3.1	Plan for long-term monitoring and maintenance	No clear plan for long-term monitoring/maintenance in place Laws, regulations, policies/stds of	On-paper only	Working plans		Comprehensive long-term plan		1	3		10	10
	<u> </u>	_D3.2	Address conflicting regulations and policies	practice affecting the project are taken as a given	Limited search	More investigation	Increased resolve	Collaborative resolution		1	2	4	8	8
	L	LD3.3	Extend useful life	Little effort made to specify matreials/equipment or to design project in a way to extend useful life	Marginal extension - Nothing beyond construction	Nudging the boundaries	Pushing the boundaries	Extending the boundaries		1 10	3 31		12 115	12 31 121
		RA1.1	Support sustainable	No consideration of LCA or energy savings compared to industry norms	•	10-40% reductions Modest sustainable suppliers	= ::	> 70% reductions. Exceptional sustainable		2	6	12	18	18
	F	RA1.2	procurement practices	No policies or practices in place	Basic sustainable sourcing	portfolio	practices	sourcing		2	3	6	9	9



	ENV	ISION CREDIT			LEVELS OF ACHIEVEMENT					Р	oints P	ossible	
Area	Number	Name	Benchmark	Improved	Enhanced	Superior	Conserving	Restorative	Improved	Enhanced	Superior	Conserving	Restorative Maximum Points Available
				5% to less than 20% by W or									
	RA1.3	Use recycled materials	RC less than 5% by W or V	V	20% to less than 50%	50% to less than 80%	80% or more		2	5	11	14	14
	RA1.4		Local sourcing considered but total sourced locally is less than 30% Some recycling done but mostly ad-	Up to 30% locally sourced (including soils, aggregate, plants and other) Recycle/reuse at least 25%	Up to 60% locally sourced	Up to 90% locally sourced	Up to 95% locally sourced		3	6	9	10	10
	RA1.5	Divert Waste from Landfills	hoc	(operations only??)	Recycle/reuse at least 50%	Recycle/reuse at least 75%	Recycle/reuse at least 100%		3	6	8	11	11
Allocation	RA1.6	Reduce excavated materials taken offsite	Less than 15% reused onsite	Reuse 30 to 50% onsite	Reuse 51 to 80%	Reuse 81 to 95%	Reuse 96 to 100%		2	4	5	6	6
Resource Alloc	RA1.7	and recycling	No consideration given for material end-of-life Meets basic code and reg requirements for energy	Basic end of life consideration	Expanded end of life consideration	Primary concern for end of life	True design for end of life		1	4	8	12	12
~	RA2.1	Reduce energy consumption		10 - 30% energy reduction	31 to 50% energy reduction	51 to 70% energy reduction	greater than 70%		3	7	12	18	18
	RA2.2	Use renewable energy Commission and monitor	Renewable energy less than 10% annual energy consumption	10 to 25% renewables (can be on-site and/or off-site)	25 to 40% renewables	41 to 80% renewables	81 to 100% renewables	Net positive renewables	4	6	13	16	20 20
	RA2.3	energy systems	No commissioning	No immediate negatives -	One time monitoring Good water management -	Wise water management -	Long-term monitoring Total water management -	Positive impact - replenishes		3		11	11
	RA3.1		Meets minimum reg requirements for water usage/withdrawls	determine usage, look for reuse opps, consider peaks in 25% reduction in potable	plan to offset peak n withdrawls, institute water	control water usage, offset peaks, determine impacts of	no net impact on water supply volume, manage	quantity and quality of fresh water supplies	2	4	9	17	21 21
	RA3.2	consumption	Water reduction less than 25% No ability to monitor water	water use	50% reduction	75% reduction	100% reduction	Water purification	4	9	13	17	21 21
	RA3.3	Monitor water systems	usage/leak detection	One-time monitoring	Operations monitoring	Long-term monitoring	Responsive monitoring		1	3	6	11	11
									29	66	112	170	62 182
	NW1.1 NW1.2	Protect wetlands and surface	Awareness of preserving high ecological value lands Determine full extent, if any, of wetlands onsite Determin it soils onsite have been	Avoid development or buffer > 50 ft	Buffer > 100 ft	Avoid development Buffer > 200 ft	Protection of existing Buffer > 300 ft	Restore habitat Aquatic and wetland restoration	1	4	9	14 14	18 18 18 18
	NW1.3		designated by NRCS as prime Follow local regulations regarding			95% protection Protection and risk	No development	Restore prime farmland			6	12	15 15
	NW1.4		building in earthquake prone areas	Comprehensive delineation	Sound risk management	management	Total avoidance		1	2	3	5	5



		ENV	ISION CREDIT			LEVELS OF ACHIEVEMENT					Points Possible					
Area	Nu	umber	Name	Benchmark	Improved	Enhanced	Superior	Conserving	Restorative	Improved	Enhanced	Superior	Conserving	Restorative	Maximum Points Available	
	NV	W1.5	Preserve floodplain functions Avoid Unsuitable	Floodplain functions are not considered beyond local laws and requirements Follow local regs/stds/ord regarding development on hillsides/steep	Avoid or mitigate impacts	Maintain infiltration and water quality	Enhance riparian and aquation habitat	Enhance connectivity and sediment transport		2	5	8	14		14	
	NV	W1.6		slopes	Best practices		Optimal project siting	Steep slopes avoided		1		4	6		6	
	NV	W1.7	Preserve greenfields	Project site selected is a greenfield site - where no previous development is taking place	At least 25% greyfield site	At least 50% greyfield site	At least 75% greyfield site	100% greyfield site	Use a brownfield	3	6	10	15	23	23	
Natural World	NV	W2.1		Minimum requirements for SW management		Increase storage capacity through LID to reduce SW runoff generation: - 30% improvement in storage for greyfield sites - 20% improvement in storage for brownfield sites - Greenfield maintains 100%	Extended storage capacity: - 60% improvement in storage capacity for greyfield sites - 40% improvement in storage capacity for brownfield sites - Greenfield maintains 100%	Sustainable stormwater management through LID: - 90% improvement in storage capacity for greyfield sites - 60% improvement in storage for brownfield sites - Greenfield apredevelopment capacity	Enhanced stormwater management: - runoff maintained onsite - capture and repurpose more than 100% of stormwater onsite		4	9	17	21	21	
	NV	W2.2		Some efforts to control types/usage of pesticides/fertilizers	Application Management	Pesticide, herbicide and fertilizer selection (for low toxicity, persistence and bioavailability)	Better selection / lower use	No pesticide, herbicide or fertilizer use		1	2	5	9		9	
	NV	W2.3	Groundwater Contamination	Meet basic reg requirements for water quality/spill prevention No willful destruction but no active	Design for response	Long-term monitoring	Design for prevention	Design for source elimination	Remediate existing contamination	1	4	9	14	18	18	
	NV	W3.1	Preserve Species Biodiversity	protection	Identify and protect habitat			Improve habitat	Restore and create habitats	2			13	16	16	
		W3.2 W3.3	Control Invasive Species	No willful spreading of invasive but no active mangement either. Soil restoration to extent requirement by regs			Locally appropriate and non- invasive	Invasive species control Construction restoration	Invasive species elimination Previous development restoration			5	9	11 10	11 10	



		ENV	ISION CREDIT			LEVELS OF ACHIEVEMENT					Points Possible					
Area	ľ	Number	Name	Benchmark	Improved	Enhanced	Superior	Conserving	Restorative	Improved	Enhanced	Superior	Conserving	Restorative	Maximum Points Available	
	ľ	NW3.4	Maintain Wetland and Surface water functions	No meaningful action taken to maintain/restor ecosystems	function by maintaining/restoring: - hydrologic connections	Enhanced two ecosystems	Enhanced three ecosystems	Enhanced four ecosystems	Restore ecosystem function	3	6	9	15	19	19	
										15	33	86	165	169	203	
	C	CR1.1	Reduce greenhouse gas emissions	No LCA	Life-cycle carbon assessment	t 10 to 40% reduction	41 to 80% reduction	Carbon neutral	Net carbon negative	4	7	13	18	25	25	
+		CR1.2	Reduce air pollutant emissions	No additional measures taken	Improved air quality standards - Meet CAAQS for all project activities	Enhanced air quality standards - Meet SCAQM in Section XI and XIV		Impact assessment and	Air quality improvement	2	6		12	15	15	
ä	5	CR2.1 CR2.2	Assess climate threat Avoid traps and vulnerabilities	No comprehensive assessment	Basic evaluation	High level review	Detailed evaluation	adaptation plan Comprehensive assessment	Robust and resilient	2	6	12	15 16	20	15 20	
<u>.</u>		CR2.3	Prepare for long-term adaptability Prepare for short-term	None			Preparation for 1 in 50 year	Highly resilient and adaptive Preparation for 1 in 100 year	Restore environments that				16	20	20	
		CR2.4	hazards	None	Hazards assessment 10 to 30% heat-producing surface reflectance index	31 to 60% heat-producing surface reflectance index	hazards 61 to 90% heat-producing surface reflectance index	91 to 100% heat-producing surface reflectance index	reduce risk	3		10	17	21	21	
	(CR2.5	Manage heat island effects	None	(SRI)	(SRI)	(SRI)	(SRI)		1	2	4	6		6	
										12	21	39	100	101	122	
										79	178	355	700	514	809	

APPENDIX B - INITIAL ENVISION™ ASSESSMENT



Date:	6/30/2015
Ву:	CLAE
Reviewed By:	

ENVISION CREDIT			INITIAL ASSESSMENT FOR PWIMP						
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Minimum Points Potential	Maximum Points Potential	Maximum Points Achievable
	QL1.1	Improve community quality of life	Enhanced	Community Linkages - Key stakeholders involved; potential negative adverse impacts reduced or eliminated	Superior	Broad community alignment - all relevant community plans are reviewed through SH input	5	10	25
	QL1.2	Stimulate sustainable growth and development	Superior	improving local productivity	Conserving	Business and people attractiveness	5	13	16
	QL1.3	Develop local skills and capabilities Enhance public health and	Enhanced	Hire locally Assessment of new	Enhanced	Hire locally Assessment of new	2	2	15
of Life	QL2.1 QL2.2	Minimize noise and vibration	Improved None	requirements	Improved None	requirements	0	0	16 11
Quality of Life	QL2.3	Minimum light pollution	Improved	Cost savings focus	Enhanced	Non-lighting alternatives	1	2	11
	QL2.4	Improve community mobility and access Encourage alternative	Improved	Limited coordination	Enhanced	Satisfactory access Non-motorized or transit	1	4	14
	QL2.5	modes of transportation	None		Enhanced	friendly	0	3	15
	QL2.6	Improve site accessibility, safety and wayfinding	Enhanced	Onsite wayfinding	Superior	Additional safety and security	3	6	15



Date:	6/30/2015
By:	CLAE
Reviewed By:	

	ENV	ISION CREDIT		INITIAL ASSESSMENT FOR PWIMP							
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Minimum Points Potential	Maximum Points Potential	Maximum Points Achievable		
		Preserve historic and									
	QL3.1	cultural resources	Improved	Moderate efforts	Improved	Moderate efforts	1	1	16		
		Preserve views and local		Understanding and	'	Alignment with					
	QL3.2	character	Improved	balance	Enhanced	community values	1	3	14		
	QL3.3	Enhance public space	Improved	No adverse effects	Improved	No adverse effects	1	1	13		
	425.5	zimanec paone space	improved	The duverse effects	піріотец	Quality of Life Subtotal	22	47	181		
	LD1.1	Provide effective leadership and comittment	Superior	Walking the talk	Superior	Walking the talk	9	9	17		
	LD1.2	Establish a sustainability management system	Enhanced	A basic plan	Superior	Pln-do-check-act	4	7	14		
	LD1.3	Foster collaboration and teamwork	Enhanced	Taking a systems view	Superior	Sustainable design as a team sport	4	8	15		
	LD1.4	Provide for stakeholder involvement	Enhanced	Active engagement and dialog	Superior	Open to a wider community	5	9	14		
	LD2.1	Pursue by-product synergy oportunities	None		Improved	Casual search and diversion	0	1	15		
	LD2.2	Improve infrastructure integration Plan for long-term	Superior	Infrastructure building and synergies	Superior	Infrastructure building and synergies	7	7	16		
	LD3.1	monitoring and maintenance	None		Enhanced	Working plans	0	3	10		
	LD3.2	Address conflicting regulations and policies	None		Improved	Limited search	0	1	8		



Date:	6/30/2015
By:	CLAE
Reviewed By:	

ENVISION CREDIT			INITIAL ASSESSMENT FOR PWIMP							
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Minimum Points Potential	Maximum Points Potential	Maximum Points Achievable	
	LD3.3	Extend useful life	Enhanced	Nudging the boundaries	Superior	Pushing the boundaries	3	6	12	
				0 0	•	Leadership Subtotal	32	51	121	
	RA1.1	Reduce net embodied energy Support sustainable	Improved	Life-cycle assessment Basic sustainable	Enhanced	10-40% reductions Modest sustainable	2	6	18	
	RA1.2	procurement practices	Improved	sourcing 5% to less than 20% by	Enhanced	suppliers portfolio	2	3	9	
	RA1.3	Use recycled materials	Improved	W or V Up to 30% locally sourced (including soils, aggregate, plants and	Enhanced	20% to less than 50%	2	5	14	
	RA1.4	Use regional materials	Improved	other) Recycle/reuse at least	Enhanced	Up to 60% locally sourced Recycle/reuse at least	3	6	10	
	RA1.5	Divert Waste from Landfills Reduce excavated materials	Enhanced	50%	Superior	75%	6	8	11	
cation	RA1.6	taken offsite	Enhanced	Reuse 51 to 80%	Superior	Reuse 81 to 95%	4	5	6	
Resource Allocation	RA1.7	Provide for deconstruction and recycling	None		None		0	0	12	
Resc	RA2.1	Reduce energy consumption	Improved	10 - 30% energy reduction	Enhanced	31 to 50% energy reduction 10 to 25% renewables	3	7	18	
	RA2.2	Use renewable energy Commission and monitor	None		Improved	(can be on-site and/or off site)	0	4	20	
	RA2.3	energy systems	None		Enhanced	One time monitoring	0	3	11	



Date:	6/30/2015
Ву:	CLAE
Reviewed By:	

ENVISION CREDIT			INITIAL ASSESSMENT FOR PWIMP							
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Minimum Points Potential	Maximum Points Potential	Maximum Points Achievable	
				Wise water management		Positive impact -				
		Protect fresh water		- control water usage,		replenishes quantity and				
	RA3.1	availability Reduce potable water	Superior	offset peaks, determine	Restorative	quality of fresh water	9	21	21	
	RA3.2	consumption	Superior	75% reduction	Restorative	Water purification	13	21	21	
	RA3.3	Monitor water systems	Enhanced	Operations monitoring	Enhanced	Operations monitoring	3	3	11	
						Resource Allocation	47	92	182	
	NW1.1	Preserve Prime Habitat Protect wetlands and	N/A	Avoid development or	N/A		0	0	0	
	NW1.2	surface water	Improved	buffer > 50 ft	Superior	Buffer > 200 ft	1	9	18	
	NW1.3	Preserve Prime Farmland	Conserving	No development Comprehensive	Conserving	No development	12	12	15	
	NW1.4	Avoid adverse geology	Improved	delineation	Enhanced	Sound risk management	1	2	5	
	NW1.5	Preserve floodplain functions Avoid Unsuitable	Improved	Avoid or mitigate impacts	Improved	Avoid or mitigate impacts	2	2	14	
	NW1.6	Development on Steep Slopes	Improved	Best practices	Improved	Best practices	1	1	6	
	NW1.7	Preserve greenfields	Superior	At least 75% greyfield site	Conserving	100% greyfield site	10	15	23	



Date:	6/30/2015
By:	CLAE
Reviewed By:	

	ENV	/ISION CREDIT	INITIAL ASSESSMENT FOR PWIMP							
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Minimum Points Potential	Maximum Points Potential	Maximum Points Achievable	
Natural World	NW2.1	Manage stormwater	Superior	Extended storage capacity: - 60% improvement in storage capacity for greyfield sites - 40% improvement in storage capacity for brownfield sites - Greenfield maintains 100%	Restorative	Enhanced stormwater management: - runoff maintained onsite - capture and repurpose more than 100% of stormwater onsite	9	21	21	
	NW2.2	Reduce Pesticide and Fertilizer Impacts Prevent Surface and	Improved	Application Management	Enhanced	Pesticide, herbicide and fertilizer selection (for low toxicity, persistence and bioavailability)	1	2	9	
	NW2.3	Groundwater Contamination Preserve Species	Enhanced	Long-term monitoring	Enhanced	Long-term monitoring	4	4	18	
	NW3.1	Biodiversity	None		None		0	0	16	
	NW3.2	Control Invasive Species	None		None		0	0	11	
	NW3.3	Reduced disturbed soils Maintain Wetland and	Conserving	Construction restoration function by maintaining/restoring:	Conserving	Construction restoration function by maintaining/restoring:	8	8	10	
	NW3.4	Surface water functions	Improved	- hydrologic	Improved	- hydrologic connections	3	3	19	
				, ,		Natural World	52	79	185	
	CR1.1	Reduce greenhouse gas emissions	Improved	Life-cycle carbon assessment	Enhanced	10 to 40% reduction	4	7	25	



Date:	6/30/2015
By:	CLAE
Reviewed By:	

ENVISION CREDIT				INITIAL ASSESSMENT FOR PWIMP							
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Minimum Points Potential	Maximum Points Potential	Maximum Points Achievable		
				Enhanced air quality		Enhanced air quality					
		Reduce air pollutant		standards - Meet SCAQM		standards - Meet SCAQM					
	CR1.2	emissions	Enhanced	in Section XI and XIV	Enhanced	in Section XI and XIV	6	6	15		
*						Impact assessment and					
Climate and Risk	CR2.1	Assess climate threat Avoid traps and	None		Conserving	adaptation plan	0	15	15		
ate a	CR2.2	vulnerabilities	Improved	Basic evaluation	Enhanced	High level review	2	6	20		
. <u>≅</u>		Prepare for long-term		Highly resilient and		Highly resilient and	4.6				
٥	CR2.3	adaptability	Conserving	adaptive	Conserving	adaptive	16	16	20		
	CR2.4	Prepare for short-term hazards	Improved	Hazards assessment	Conserving	Preparation for 1 in 100 year hazards	3	17	21		
	CN2.4	IIdZdIUS	iliproved	nazarus assessinent	Conserving	year nazarus	5	17	21		
				10 to 30% heat-		10 to 30% heat-					
				producing surface		producing surface					
	CR2.5	Manage heat island effects	Improved	reflectance index (SRI)	Improved	reflectance index (SRI)	1	1	6		
	Climate and Risk Subtotal							68	122		
					IN	IITIAL ASSESSMENT TOTAL	185	337	791		

APPENDIX C – PROGRAMMATIC VERSUS PLAN SPECIFIC CREDITS SUMMARY



Public Works Integrated Master Plan City of Oxnard, CA

Date:	6/30/2015
Ву:	CLAE
Reviewed By:	

	ENV	ISION CREDIT		INITIAL ASSESSIV	IENT FOR PWIM	IP			Plan-S	pecific	
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Programmatic	Water	Wastewater	Recycled Water	Storm Water
	QL1.1	Improve community quality of life	Enhanced	Community Linkages - Key stakeholders involved; potential negative adverse impacts reduced or eliminated	Superior	Broad community alignment - all relevant community plans are reviewed through SH input	x				
	QL1.2	Stimulate sustainable growth and development	Superior	improving local productivity	Conserving	Business and people attractiveness	х				
	QL1.3 QL2.1	Develop local skills and capabilities Enhance public health and safety	Enhanced	Hire locally Assessment of new requirements	Enhanced	Hire locally Assessment of new requirements	x x				
Quality of Life	QL2.2	Minimize noise and vibration	None	·	None	·		х	х	х	х
Qualit	QL2.3	Minimum light pollution	Improved	Cost savings focus	Enhanced	Non-lighting alternatives	х	Х	х	х	x
	QL2.4 QL2.5	Improve community mobility and access Encourage alternative modes of transportation	Improved None	Limited coordination	Enhanced Enhanced	Satisfactory access Non-motorized or transit friendly	x x	x x	x x		
	QL2.6	Improve site accessibility, safety and wayfinding	Enhanced	Onsite wayfinding	Superior	Additional safety and security	X	۸	X		



Public Works Integrated Master Plan City of Oxnard, CA Date: 6/30/2015

By: CLAE

Reviewed By: ______

	ENV	ISION CREDIT		INITIAL ASSESSM	IENT FOR PWIM	P			Plan-S	pecific	
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Programmatic	Water	Wastewater	Recycled Water	Storm Water
		Preserve historic and									
	QL3.1	cultural resources	Improved	Moderate efforts	Improved	Moderate efforts	х				
	QL3.2	Preserve views and local character	Improved	Understanding and balance	Enhanced	Alignment with community values	x	х	х		
	QL3.3	Enhance public space	Improved	No adverse effects	Improved	No adverse effects	x				
						Quality of Life Subtotal					
	LD1.1	Provide effective leadership and comittment	Superior	Walking the talk	Superior	Walking the talk	x				
	LD1.2	Establish a sustainability management system	Enhanced	A basic plan	Superior	Pln-do-check-act	x				
	LD1.3	Foster collaboration and teamwork	Enhanced	Taking a systems view	Superior	Sustainable design as a team sport	x	х	x	x	х
	LD1.4	Provide for stakeholder involvement	Enhanced	Active engagement and dialog	Superior	Open to a wider community	х	х	х	x	х
	LD2.1	Pursue by-product synergy oportunities	None		Improved	Casual search and diversion	х				
	LD2.2	Improve infrastructure integration	Superior	Infrastructure building and synergies	Superior	Infrastructure building and synergies	x	x	x	x	х
	LD3.1	Plan for long-term monitoring and maintenance	None		Enhanced	Working plans	x				
	LD3.2	Address conflicting regulations and policies	None		Improved	Limited search	x	x	x	x	x



Public Works Integrated Master Plan City of Oxnard, CA Date: 6/30/2015

By: CLAE

Reviewed By:

	ENV	ISION CREDIT		INITIAL ASSESSM	ENT FOR PWIM	P			Plan-S	pecific	
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Programmatic	Water	Wastewater	Recycled Water	Storm Water
	LD3.3	Extend useful life	Enhanced	Nudging the boundaries	Superior	Pushing the boundaries Leadership Subtotal	х	х	x	х	х
	RA1.1	Reduce net embodied energy Support sustainable	Improved	Life-cycle assessment Basic sustainable	Enhanced	10-40% reductions Modest sustainable	x	х	x	x	x
	RA1.2	procurement practices	Improved	sourcing	Enhanced	suppliers portfolio	x				
	RA1.3	Use recycled materials	Improved	5% to less than 20% by W or V Up to 30% locally sourced (including soils, aggregate, plants and	Enhanced	20% to less than 50%	х	х	х	х	х
	RA1.4	Use regional materials	Improved	other) Recycle/reuse at least	Enhanced	Up to 60% locally sourced Recycle/reuse at least	х	х	x	x	х
	RA1.5	Divert Waste from Landfills Reduce excavated materials	Enhanced	50%	Superior	75%	x	х	x	х	х
ation	RA1.6	taken offsite	Enhanced	Reuse 51 to 80%	Superior	Reuse 81 to 95%	x	х	х	x	х
Resource Allocation	RA1.7	Provide for deconstruction and recycling	None		None						
Reso	RA2.1	Reduce energy consumption	Improved	10 - 30% energy reduction	Enhanced	31 to 50% energy reduction 10 to 25% renewables	x	х	х	x	х
	RA2.2	Use renewable energy Commission and monitor	None		Improved	(can be on-site and/or off site)	х	x	x	x	х
	RA2.3	energy systems	None		Enhanced	One time monitoring	х	x	x	x	х



Public Works Integrated Master Plan City of Oxnard, CA Date: 6/30/2015

By: CLAE

Reviewed By:

	ENV	/ISION CREDIT		INITIAL ASSESSM	ENT FOR PWIM	Р			Plan-S	pecific	
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Programmatic	Water	Wastewater	Recycled Water	Storm Water
				Wise water management		Positive impact -					
		Protect fresh water		- control water usage,		replenishes quantity and					
	RA3.1	availability Reduce potable water	Superior	offset peaks, determine	Restorative	quality of fresh water	х	Х	х	х	х
	RA3.2	consumption	Superior	75% reduction	Restorative	Water purification	х	х	х	х	х
	RA3.3	Monitor water systems	Enhanced	Operations monitoring	Enhanced	Operations monitoring	х	х		х	
						Resource Allocation					
	NW1.1	Preserve Prime Habitat Protect wetlands and	N/A	Avoid development or	N/A						
	NW1.2	surface water	Improved	buffer > 50 ft	Superior	Buffer > 200 ft		х	х	х	х
	NW1.3	Preserve Prime Farmland	Conserving	No development Comprehensive	Conserving	No development	х				
	NW1.4	Avoid adverse geology	Improved	delineation	Enhanced	Sound risk management	х				
		Preserve floodplain		Avoid or mitigate							
	NW1.5	functions Avoid Unsuitable Development on Steep	Improved	impacts	Improved	Avoid or mitigate impacts	х	х	x	x	х
	NW1.6	Slopes	Improved	Best practices	Improved	Best practices	х				
	NW1.7	Preserve greenfields	Superior	At least 75% greyfield site	Conserving	100% greyfield site	x	x	x	x	x



Public Works Integrated Master Plan City of Oxnard, CA Date: 6/30/2015

By: CLAE

Reviewed By:

	ENV	/ISION CREDIT		INITIAL ASSESSM	ENT FOR PWIM	P			Plan-S	pecific	
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Programmatic	Water	Wastewater	Recycled Water	Storm Water
Natural World	NW2.1	Manage stormwater Reduce Pesticide and Fertilizer Impacts	Superior	Extended storage capacity: - 60% improvement in storage capacity for greyfield sites - 40% improvement in storage capacity for brownfield sites - Greenfield maintains 100% Application Management	Restorative	Enhanced stormwater management: - runoff maintained onsite - capture and repurpose more than 100% of stormwater onsite Pesticide, herbicide and fertilizer selection (for low toxicity, persistence and bioavailability)	×				x
	NW2.3 NW3.1	Prevent Surface and Groundwater Contamination Preserve Species Biodiversity	Enhanced None	Long-term monitoring	Enhanced None	Long-term monitoring	x	x		x	
	NW3.2 NW3.3	Control Invasive Species Reduced disturbed soils Maintain Wetland and	None Conserving	Construction restoration function by maintaining/restoring:	None Conserving	Construction restoration function by maintaining/restoring:	x	x	х	x	x
	NW3.4	Surface water functions	Improved	- hydrologic	Improved	- hydrologic connections					Х
		Dadusa susanbarra		Life and and a		Natural World					
	CR1.1	Reduce greenhouse gas emissions	Improved	Life-cycle carbon assessment	Enhanced	10 to 40% reduction	х	х	х	х	х



Public Works Integrated Master Plan City of Oxnard, CA Date: 6/30/2015

By: CLAE

Reviewed By: ______

	ENV	ISION CREDIT		INITIAL ASSESSM	IENT FOR PWIN	IP			Plan-S	pecific	ı
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	Programmatic	Water	Wastewater	Recycled Water	Storm Water
74	CR1.2	Reduce air pollutant emissions	Enhanced	Enhanced air quality standards - Meet SCAQM in Section XI and XIV	Enhanced	Enhanced air quality standards - Meet SCAQM in Section XI and XIV Impact assessment and	х	x	x	x	х
Climate and Risk	CR2.1	Assess climate threat Avoid traps and	None		Conserving	adaptation plan					
mate	CR2.2	vulnerabilities Prepare for long-term	Improved	Basic evaluation Highly resilient and	Enhanced	High level review Highly resilient and	х	х	x	х	x
≅	CR2.3	adaptability Prepare for short-term	Conserving	adaptive	Conserving	adaptive Preparation for 1 in 100	х	х	х	х	x
	CR2.4	hazards	Improved	Hazards assessment	Conserving	year hazards	х	х	х	х	х
	CR2.5	Manage heat island effects	Improved	10 to 30% heat- producing surface reflectance index (SRI)	Improved	10 to 30% heat- producing surface reflectance index (SRI)	x	x	×	x	x
		3				limate and Risk Subtotal					

APPENDIX D - SUGGESTED METRIC TARGETS/GOALS



ENVISION - INITIAL PROPOSED TARGET METRICS / GOALS

Public Works Integrated Master Plan City of Oxnard, CA

Date:	6/30/2015
By:	CLAE
Reviewed By:	

	ENV	ISION CREDIT		INITIAL ASSESSIV	IENT FOR PWIM	P	
Area	Number	Name	Minimum Level of Achievement	Level of Achievement Description	Stretch' Level of Achievement	Level of Achievement Description	rarget Goal or Measurable Metric
					<u> </u>	- ` -	10% reduction in net
	RA1.1	Reduce net embodied energy	Improved	Life-cycle assessment	Enhanced	10-40% reductions	embodied energy over convention options
							Develop / identify material (2 minimum on each project) that could be
		Support sustainable		Basic sustainable		Modest sustainable	'sustainably' procured; buil
	RA1.2	procurement practices	Improved	sourcing	Enhanced	suppliers portfolio	upon previous projects Specify 20% recycled
	RA1.3	Use recycled materials	Improved	5% to less than 20% by W or V	Enhanced	20% to less than 50%	materials
Resource Allocation	RA1.4	Use regional materials	Improved	Up to 30% locally sourced (including soils, aggregate, plants and other)	Enhanced	Up to 60% locally sourced	Strive to specify 50% regional materials
9	NA1.4	Ose regional materials	improved	other)	Ellilaliceu	sourceu	regional materials
Resour	RA1.5	Divert Waste from Landfills Reduce excavated materials	Enhanced	Recycle/reuse at least 50%	Superior	Recycle/reuse at least 75%	Specify at least 50% recycled/reuse of materials
	RA1.6	taken offsite	Enhanced	Reuse 51 to 80%	Superior	Reuse 81 to 95%	Reuse 90% of soils onsite
	RA2.1	Reduce energy consumption	Improved	10 - 30% energy reduction	Enhanced	31 to 50% energy reduction	Reduce energy use (over baseline) at least 10%
		Pod or catalda ada					Potable water use reduction of 25% (basedon 2015 State
	RA3.2	Reduce potable water consumption	Superior	75% reduction	Restorative	Water purification	wide Mandatory Use Cut- backs)
			·				
		Reduce greenhouse gas		Life-cycle carbon			Reduce GHGs by 20% (over
tisk	CR1.1	emissions	Improved	assessment	Enhanced	10 to 40% reduction	baseline)
and F	CR2.4	Prepare for short-term hazards	Improved	Hazards assessment	Conserving	Preparation for 1 in 100 year hazards	Prepare for 1 in 25 year storm (at minimum)
Climate and Risk				10 to 30% heat- producing surface		10 to 30% heat- producing surface	Reduce SRI of project facilities by at minimum of
	CR2.5	Manage heat island effects	Improved	reflectance index (SRI)	Improved	reflectance index (SRI)	10%

These metrics/goals should be re-visited at the beginning of preliminary design.