

Public Works Department

305 West Third Street, East Wing, Third Floor
Oxnard, California 93030
Tel 805.385.8280



December 2, 2020

ADDENDUM NO. 1

**Bryce Canyon North and South Neighborhood and
Fremont North Neighborhood Street Resurfacing Project (Rebid)
Specification No. PW 18-05R**

SCHEDULED BID OPENING DATE: December 8, 2020

TO ALL BIDDERS OF RECORD:

Acknowledge receipt of this addendum by enclosing one signed copy with your bid documents. Failure to do so may subject bidder to disqualification. This addendum forms a part of the bid documents as follows:

1. The City has received Requests for Information on this Project. The questions and responses are below:

Question 1: CMS Board may be required per section 5-7.10.3. Please advise how many CMS board is required for this project.

Response: Please see the second and third paragraph of Special Provisions Section 1505-1.

Question 2: Traffic control is to be provided by a qualified traffic control company specializing with a C-31 license per section 5-7-12.1. If all contractors must use a C-32 licensed contractor, the project cost will be increased dramatically. Please advise if the City can exclude this condition for this project.

Response: Please see requirement 3 of the Special Provision Section 1505-2.

Question 3: Advance Construction Notification Sign is required per Section 5-7.12.2. Please advise how many signs are required.

Response: Please see the second and third paragraph of Special Provision section 1505-1.

Question 4: Specification Section 1185-2 states the following: *“All manhole covers, water valve covers, survey monument covers, and sewer terminal cleanout, including the frame and cover, and metal lid, shall be replaced in accordance with the requirements of the Plans and in conformance to the City of Oxnard's Standards at the Contractor's expense.”*

Will the above referenced requirement be enforced by the City of Oxnard? Or can the contractor re-use the existing frames and covers?

Response: The contractor shall replace existing frames and covers as specified. Salvage and reuse of existing frames and covers may be allowed as directed by the Inspector.

ADDENDUM NO. 1
Bryce Canyon North and South Neighborhood and
Fremont North Neighborhood Street Resurfacing Project (Rebid)
Specification No. PW 18-05R
Page -2-

2. **Bid Sheets.** Bidders are instructed to replace pages B3 through B11 with the attached Revised B3 through Revised B11.

Addendum No. 1 Received: Date: _____

Contractor's Name

Address

Authorized Signature

City State Zip Code

Name and Title

Telephone Number, Including Area Code

REVISED
CITY OF OXNARD
BID SHEETS FOR BRYCE CANYON NORTH AND SOUTH NEIGHBORHOOD AND
FREMONT NORTH NEIGHBORHOOD STREET RESURFACING PROJECT (REBID)
SPECIFICATION NO. PW 18-05R

Bidder's Name: _____

To the Honorable Mayor and Members of the City Council:

In compliance with the Notice Inviting Bids, the undersigned hereby agrees to execute the Contract to furnish all labor, materials, equipment and supplies for the Project in accordance with the Contract Documents to the satisfaction and under the direction of the Project Manager at the following prices:

BASE AMOUNT:

ITEM NO.	DESCRIPTION	PAYMENT REF.	UNIT OF MEASURE	EVALUATION QUANTITY	UNIT PRICE	EXTENDED AMOUNT
	SCHEDULE 1 Bryce Canyon North & South Neighborhood					
1	Mobilization/Demobilization (shall not exceed 5% of the Total Bid Price)	1001-3	LS	LUMP SUM		
2	Traffic Control And Public Convenience And Safety	1505-4	LS	LUMP SUM		
3	Storm Water Pollution Prevention Plan	1800-3	LS	LUMP SUM		
4	Cold Mill AC Pavement (2" Max)	1110-3	SQYD	33,000		
5	Unclassified Excavation	1120-4	CY	350		
6	Class 2 Aggregate Base	1130-4	TON	70		
7	Asphalt Concrete, Type III (DGAC-C2 PG 64-10)	1150-10	TON	800		
8	Asphalt Concrete, Type III (DGAC-D2 PG 64-10)	1150-10	TON	300		
9	Asphalt Rubber Hot Mix (ARHM-GG-C PG 64-16)	1152-10	TON	5,850		
10	Crack Seal	1155-4	LB	8,500		
11	Slurry Seal Type II (RAP)	1160-5	SQYD	46,000		
12	Remove And Replace PCC Sidewalk	1174-6	SQFT	1,600		
13	Grind PCC Sidewalk	1174-6	SQFT	100		

14	Remove And Replace PCC Driveway	1174-6	SQFT	1,600		
15	Remove And Replace PCC Cross Gutter and Spandrel	1174-6	SQFT	8,000		
16	Remove And Replace PCC Curb And Gutter (Type A2-6)	1174-6	LF	1,700		
17	Install/Remove And Replace PCC Curb Ramp With Detectable Warning Surface Tiles	1174-6	SQFT	4,800		
18	Remove Concrete (Gutter & Spandrel)	1174-6	SQFT	600		
19	Adjust Manhole Cover To Finished Grade	1185-4	EA	43		
20	Adjust Water Valve Cover To Finished Grade	1185-4	EA	80		
21	Adjust Survey Monument Cover To Finished Grade	1185-4	EA	24		
22	Adjust Water Meter Cover To Finished Grade	1187-4	EA	4		
23	Relocate 6-Ft High Chain Link Fence And Gate, L=45' And Install Additional Galvanized Pipe Post & Fence, Complete-In-Place	1192-5	LS	LUMP SUM		
24	Install "STOP" Thermoplastic Pavement Marking	1515-4	EA	24		
25	Install "SLOW" Thermoplastic Pavement Marking	1515-4	EA	8		
26	Install "SCHOOL" Thermoplastic Pavement Marking	1515-4	EA	8		
27	Install "XING" Thermoplastic Pavement Marking	1515-4	EA	8		
28	Install Bike Lane Symbol And Arrow Thermoplastic Pavement Marking	1515-4	EA	12		
29	Install Type IV Arrow Thermoplastic Pavement Marking	1515-4	EA	8		
30	Install 24" Thermoplastic Yellow Crosswalk – Ladder Type Thermoplastic Pavement Marking	1515-4	SQFT	1,200		
31	Install 12" Solid White Thermoplastic Stripe	1515-4	LF	600		
32	Install 12" Solid Yellow Thermoplastic Stripe	1515-4	LF	1,500		

REVISED B 4

33	Install Detail 2 Thermoplastic Stripe	1515-4	LF	2,800		
34	Install Detail 22 Thermoplastic Stripe	1515-4	LF	1,500		
35	Install Detail 32 Thermoplastic Stripe	1515-4	LF	100		
36	Install Detail 38 Thermoplastic Stripe	1515-4	LF	250		
37	Install Detail 39 Thermoplastic Stripe	1515-4	LF	15,500		
38	Install Detail 39A Thermoplastic Stripe	1515-4	LF	1,000		
39	Paint Curb Red	1515-4	LF	2,400		
40	Install Blue RPM	1515-4	EA	42		
41	Install Type D Inductive Loop Detector	1520-23	EA	2		
42	Install Type E Inductive Loop Detector	1520-23	EA	2		
43	Install Or Remove And Replace Street Name Sign	1530-4	EA	50		
44	Install Or Remove And Replace Sign Post (Street & Traffic)	1530-4	EA	25		
45	Remove, Relocate Or Reinstall Traffic Sign	1530-4	EA	16		
46	Remove, Relocate or Reset Sign Post with All Attachments (Street & Traffic)	1530-4	EA	10		
47	Furnish And Install Detectable Warning Surface Tiles	1901-4	SQFT	650		
	SCHEDULE 2					
	Fremont North Neighborhood					
48	Mobilization/Demobilizati on (shall not exceed 5% of the Total Bid Price)	1001-3	LS	LUMP SUM		
49	Traffic Control And Public Convenience And Safety	1505-4	LS	LUMP SUM		
50	Storm Water Pollution Prevention Plan	1800-3	LS	LUMP SUM		
51	Cold Mill AC Pavement (2" Max)	1110-3	SQYD	23,400		
52	Unclassified Excavation	1120-4	CY	200		
53	Class 2 Aggregate Base	1130-4	TON	200		

54	Asphalt Concrete, Type III (DGAC-C2 PG 64-10)	1150-10	TON	550		
55	Asphalt Concrete, Type III (DGAC-D2 PG 64-10)	1150-10	TON	650		
56	Asphalt Rubber Aggregate Membrane (ARAM)	1151-4	SQYD	19,705		
57	Asphalt Rubber Hot Mix (ARHM-GG-C PG 64-16)	1152-10	TON	7,100		
58	Crack Seal	1155-4	LB	6,800		
59	Slurry Seal Type II (RAP)	1160-5	SQYD	55,000		
60	Remove And Replace PCC Sidewalk	1174-6	SQFT	2,800		
61	Grind PCC Sidewalk	1174-6	SQFT	120		
62	Remove And Replace PCC Curb And Gutter (Type A2-6)	1174-6	LF	1,350		
63	Install 24-Inch Root Barrier	1174-6	LF	500		
64	Remove And Replace PCC Driveway	1174-6	SQFT	550		
65	Remove And Replace PCC Cross Gutter and Spandrel	1174-6	SQFT	5,600		
66	Install/Remove And Replace PCC Curb Ramp With Detectable Warning Surface Tiles	1174-6	SQFT	1,600		
67	Adjust Manhole Cover To Finished Grade	1185-4	EA	47		
68	Adjust Water Valve Cover To Finished Grade	1185-4	EA	65		
69	Adjust Survey Monument Cover To Finished Grade	1185-4	EA	33		
70	Adjust Water Meter Cover To Finished Grade	1187-4	EA	1		
71	Remove And Replace PCC Top Slab Of Storm Drain Catch Basin	1192-5	LS	LUMP SUM		
72	Install "STOP" Thermoplastic Pavement Marking	1515-4	EA	38		
73	Install "SLOW" Thermoplastic Pavement Marking	1515-4	EA	9		

74	Install "SCHOOL" Thermoplastic Pavement Marking	1515-4	EA	7		
75	Install "XING" Thermoplastic Pavement Marking	1515-4	EA	7		
76	Install Type IV Arrow Thermoplastic Pavement Marking	1515-4	EA	22		
77	Install Type I 18'-0" Arrow Thermoplastic Pavement Marking	1515-4	EA	1		
78	Install Bike Lane Symbol And Arrow Thermoplastic Pavement Marking	1515-4	EA	17		
79	Install Bike Loop Detector Symbol Thermoplastic Pavement Marking	1515-4	EA	3		
80	Install 12" Solid White Thermoplastic Stripe	1515-4	LF	1,600		
81	Install 12" Solid Yellow Thermoplastic Stripe	1515-4	LF	660		
82	Install 24" Yellow Crosswalk Ladder Type Thermoplastic Pavement Marking	1515-4	SQFT	2,300		
83	Install White Yield Line (Isosceles Triangle) Thermoplastic Pavement Marking	1515-4	SQFT	120		
85	Install Detail 2 Thermoplastic Stripe	1515-4	LF	1,700		
86	Install Detail 22 Thermoplastic Stripe	1515-4	LF	3,850		
87	Install Detail 29 Thermoplastic Stripe	1515-4	LF	500		
88	Install Detail 32 Thermoplastic Stripe	1515-4	LF	600		
89	Install Detail 38 Thermoplastic Stripe	1515-4	LF	1,000		
90	Install Detail 39 Thermoplastic Stripe	1515-4	LF	14,500		
91	Install Detail 39A Thermoplastic Stripe	1515-4	LF	1,200		
92	Paint Curb Red	1515-4	LF	500		
93	Install Blue RPM	1515-4	EA	69		

94	Install Type D Inductive Loop Detector	1520-23	EA	3		
95	Install Type E Inductive Loop Detector	1520-23	EA	4		
96	Install Or Remove And Replace Street Name Sign	1530-4	EA	71		
97	Install Or Remove And Replace Sign Post	1530-4	EA	27		
98	Remove, Relocate Or Re-Install Traffic Sign	1530-4	EA	15		
99	Relocate Sign And Post Including All Attachments	1530-4	EA	4		
100	Furnish And Install Detectable Warning Surface Tiles	1901-4	SQFT	1,130		
BASE AMOUNT TOTAL \$						

ADDITIVE ALTERNATIVE (Bid Item Numbers 101 Thru 121): To be installed as required per Engineer's direction. Payment for these items shall be based on the actual quantities installed. All Bidders must provide bid item price for the Additive Alternative Bid Items listed.

SCHEDULE 3 - Additive Alternative Item 1:

ITEM NO.	DESCRIPTION	PAYMENT REF.	UNIT OF MEASURE	EVALUATION QUANTITY	UNIT PRICE	EXTENDED AMOUNT
SCHEDULE 3 – Additive Alternative New Sidewalk Construction at F St						
101	Install PCC Sidewalk	1174-6	SQFT	4,800		
102	Install 24-Inch Root Barrier	1174-6	LF	1,000		
ADDITIVE ALTERNATIVE ITEM 1 TOTAL: \$						

SCHEDULE 4 – Additive Alternative Item 2:

ITEM NO.	DESCRIPTION	PAYMENT REF.	UNIT OF MEASURE	EVALUATION QUANTITY	UNIT PRICE	EXTENDED AMOUNT
SCHEDULE 4 – Additive Alternative Curb Extension Modification at Yucca St & S "J" St						
103	Gold Mill AC Pavement (2" Max.)	1110-3	SQYD	1,100		
104	Class 2 Aggregate Base	1130-4	TON	280		
103	Asphalt Concrete, Type III (DGAC-C2 PG 64-10)	1150-10	TON	20		

104	Remove And Replace PCC Sidewalk	1174-6	SQFT	900 -1,200		
105	Remove And Replace PCC Curb And Gutter (Type A2-6)	1174-6	LF	440 280		
106	Install/Remove And Replace PCC Curb Ramp With Detectable Warning Surface Tiles	1174-6	SQFT	200		
107	Remove And Reset Street Sign And Post	1530-4	EA	2		
108	Install 18-Inch PVC Storm Drain Connector Pipe	1302-5	LF	46		
109	Install Curbside 2-Grating Catch Basin Per City Std Plate 503 Complete-In-Place	1303-3	EA	2		
110	Install Junction Structure #4 Per City Std Plate 524 & Connect 18-inch Pipe to RCB	1303-3	EA	2		
ADDITIVE ALTERNATIVE ITEM 2 TOTAL: \$						

SCHEDULE 5 – Additive Alternative Item 3:

ITEM NO.	DESCRIPTION	PAYMENT REF.	UNIT OF MEASURE	EVALUATION QUANTITY	UNIT PRICE	EXTENDED AMOUNT
SCHEDULE 5 – Additive Alternative ADA Straight Ramp With Landing & Guard Rail at Ventura Service Rd & Lodgewood Way						
111	Clearing And Grubbing Including Removal of 1 ½' Diameter Tree	1103-3	LS	LUMP SUM		
112	Class 2 Aggregate Base	1130-4	TON	20		
113	Remove And Replace PCC Integral Curb And Gutter (Type A2-6)	1902-4	LF	80		
114	Install/Remove And Replace PCC ADA Ramp With Landing And Detectable Warning Surface Tiles	1902-4	SQFT	215		
115	Remove Existing & Install 8-Inch Thick PCC Retaining Wall Type A	1174-6	LF	35		
116	Remove Existing & Install 8-Inch Thick PCC Retaining Wall Type B, Varying In Height	1174-6	LF	32		

117	Furnish And Install Metal Hand Railings Per SPPWC 606-4 (Type A) Including Grip Rails, Complete-In-Place	1902-4	LF	73		
118	Restoration Of Existing Chain Link Fence (L=25'), Complete-In-Place	1192-5	LS	LUMP SUM		
119	Pothole	1902-4	LS	LUMP SUM		
ADDITIVE ALTERNATIVE ITEM 3 TOTAL: \$						

Note: Items may be adjusted or deleted. Any changes to the quantities for these items shall not classify as a substantial change as stipulated in Greenbook Section 7-3.5.1. Regardless of total actual volume compared to estimated quantities, the unit prices provided above shall be applied to the final quantity when payment is calculated for these items. No adjustment in the unit prices will be allowed. The City reserves the right to not use any of the estimated quantities, and if this right is exercised, the Contractor will not be entitled to any additional compensation. The cost of all labor, materials, export of material shall be included in the above unit costs; no additional compensation will be granted for such expenses.

TOTAL BID PRICE = BASE AMOUNT + ADDITIVE ALTERNATIVE ITEM 1 + ADDITIVE ALTERNATIVE ITEM 2 + ADDITIVE ALTERNATIVE ITEM 3

TOTAL BID PRICE IN DIGITS: \$ _____

TOTAL BID PRICE IN WORDS: _____

*** The lowest Bid shall be the lowest Total Bid Price, including the Base Amount Total and all Additive Alternative Bid items.

Contractor must complete all Work within ninety (90) Working Days of the City's Notice to Proceed (complete the Work at Bryce Canyon North and South Neighborhood within forty-five (45) Working Days and complete the Work at Fremont North Neighborhood within forty-five (45) Working Days).

Bidder acknowledges receipt of all addenda

Addendum: Date Received:
#01 _____
#02 _____

Addendum: Date Received:
#03 _____
#04 _____

Bidder's Name (Company): _____

Signature: _____

Title: _____

Print: _____

Date: _____

Signature: _____

Title: _____

Print: _____